EnviroSystems, Inc. P.O. Box 778 Hampton, NH 03843-0778 603-926-3345

March 20, 2012

Ms. Sandra Perry Triumvirate Environmental 61 Inner Belt Road Somerville, Massachusetts 02143

Dear Ms. Perry:

Enclosed, please find one (1) copy of our report presenting the results of a toxicity test completed using an effluent sample collected from the Exxon Mobil Terminal located in Everett, Massachusetts during March 2012. Acute toxicity was evaluated using the marine species, *Americamysis bahia*.

Please do not hesitate to call me, Kirk Cram or Petra Karbe should you have any questions regarding the report.

Sincerely,

EnviroSystems, Incorporated

Kenneth A. Simon

President

Enclosure

WET Test Report Certification Report Number 21980-12-03 One (1) copy + email

cc: Mr. Ernest Haynes - Exxon Mobil (1 copy)

EnviroSystems, Inc. P.O. Box 778 Hampton, NH 03843-0778 603-926-3345

March 20, 2012

Mr. Ernest Haynes Exxon Mobil Oil Corporation 52 Beacham Street Everett, Massachusetts 02149

Dear Mr. Haynes:

Enclosed, please find one (1) copy of our report presenting the results of a toxicity test completed using an effluent sample collected from the Exxon Mobil Terminal located in Everett, Massachusetts during March 2012. Acute toxicity was evaluated using the marine species, *Americamysis bahia*.

Please do not hesitate to call me, Kirk Cram or Petra Karbe should you have any questions regarding the report.

Sincerely,

EnviroSystems, Incorporated

Kenneth A. Simon

President

Enclosure

WET Test Report Certification Report Number 21980-12-03 One (1) copy + email

cc: Ms. Sandra Perry - Triumvirate Environmental (1 copy)

WHOLE EFFLUENT TOXICITY TEST REPORT CERTIFICATION

Permittee Certification

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Executed on:	
	Authorized Signature
	Print or Type Name
	ExxonMobil Oil Corporation
	Print or Type the Permittee's Name
	MA0000833
	Type or Print the NPDES Permit No.

WHOLE EFFLUENT TOXICITY TEST REPORT CERTIFICATION (Bioassay Laboratory)

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Executed on: March 20, 2012

Kenneth A. Simon
President - EnviroSystems, Inc.

TOXICOLOGICAL EVALUATION OF A TREATED INDUSTRIAL EFFLUENT BIOMONITORING SUPPORT FOR A NPDES PERMIT: March 2012

Exxon Mobil Oil Corporation

Everett, Massachusetts NPDES Permit Number MA0000833

Prepared For:

Exxon Mobil Oil Corporation 52 Beacham Street Everett, Massachusetts 02149

Prepared By:

EnviroSystems, Incorporated One Lafayette Road Hampton, New Hampshire 03842

March 2012 Reference Number Exxon Mobil21980-12-03

STUDY NUMBER 21980

EXECUTIVE SUMMARY

The following summarizes the results of an acute exposure bioassay performed during March 2012 in support of the NPDES biomonitoring requirements of the Exxon Mobil terminal located in Everett, Massachusetts. An acute definitive assay was completed using the marine species, *Americamysis bahia*.

A. bahia were ≤5 days old at the start of the test. Dilution water, provided by ESI, was from the Hampton-Seabrook Estuary. This water is classified as SA-1 and has been used to culture marine test organisms since 1981.

Samples were received under chain of custody in good order. All sample receipt, test conditions and control endpoints were within protocol specifications except where otherwise noted. The results presented in this report relate only to the samples described on the chain(s) of custody and sample receipt log(s).

Results from the acute exposure assay and their relationship to permit limits are summarized in the following matrix.

Acute Toxicity Evaluation

Species	Exposure	LC-50	A-NOEC	Permit Limit (LC-50)	Meets Permit Limit	Assay Meets Protocol Limit
Americamysis bahia	48 Hours	>100%	100%	>50%	Yes	Yes

TOXICOLOGICAL EVALUATION OF A TREATED INDUSTRIAL EFFLUENT BIOMONITORING SUPPORT FOR A NPDES PERMIT: March 2012

Exxon Mobil Oil Corporation

Everett, Massachusetts
NPDES Permit Number MA0000833

1.0 INTRODUCTION

This report presents the results of an acute toxicity test completed on an effluent sample collected from the Exxon Mobil terminal located in Everett, Massachusetts. The sample was provided by Triumvirate Environmental, Somerville, Massachusetts. Testing was based on programs and protocols developed by the US EPA (2002) and involved completing a 48 hour acute toxicity test with the marine species, *Americamysis bahia*. Testing was performed at EnviroSystems, Incorporated (ESI), Hampton, New Hampshire in accordance with the provisions of the NELAC Standards (2003).

Acute toxicity tests involve preparing a series of concentrations by diluting effluent with control water. Groups of test animals are exposed to each effluent concentration and a control for a specified period. In acute tests, mortality data for each concentration are used to calculate (by regression) the median lethal concentration, or LC-50, defined as the effluent concentration which kills half of the test animals. Samples with high LC-50 values are less likely to cause significant environmental impacts. The acute no observed effect concentration (A-NOEC) provides information on the effluent concentration having minimal acute effects in the environment and is defined as the highest tested effluent concentration that causes no significant mortality.

2.0 MATERIALS AND METHODS

2.1 General Methods

Toxicological and analytical protocols used in this program follow procedures primarily designed by the EPA to provide standard approaches for the evaluation of toxicological effects of discharges on aquatic organisms, and for the analysis of water samples. See Section 4.0 for a list of references.

2.2 Test Species

When necessary, *A. bahia* were acclimated to approximate test conditions prior to use in the assay and then transferred to test chambers using a large bore glass pipet, minimizing the amount of water added to test solutions.

2.3 Effluent and Laboratory Water

Effluent collection information is provided in Table 1. Samples were stored at 4°C and warmed to 25±1°C prior to preparing test solutions. Effluent used in the *A. bahia* assay was salinity adjusted to 25±2 ppt using artificial sea salts according to protocol (EPA 2002). Laboratory water was collected from the Hampton/Seabrook Estuary. This water is classified as SA-1 and has been used to culture marine test organisms since 1981.

Total residual chlorine (TRC) was measured by amperometric titration (MDL $0.02 \,\text{mg/L}$) in the effluent sample. Samples with $\geq 0.02 \,\text{mg/L}$ TRC were dechlorinated using sodium thiosulfate (EPA 2002).

2.4 Acute Toxicity Tests

Test concentrations for the assay were 100%, 50%, 25%, 12.5%, and 6.25% effluent. The 48 hour toxicity tests were conducted at 25±1°C with a photoperiod of 16:8 hours light:dark. Test chambers for the acute assays were 250 mL glass beakers containing 200 mL test solution in each of 4 replicates with 10 organisms/replicate. Survival and dissolved oxygen were measured daily in all replicates. Temperature,

salinity pH and specific conductivity were measured daily in one replicate of each test treatment.

2.5 Data Analysis

Data analysis involved, as required, determination of LC-50 values using CETIS, Comprehensive Environmental Toxicity Information System, software. The program computes LC-50 values using the Spearman-Karber and Linear Regress (Probit) methods following protocol guidelines. If survival in the highest test concentration was >50%, LC-50 values were obtained by direct observation of the raw data. The A-NOEC was determined as the highest test concentration which caused no significant mortality.

2.6 Quality Control

As part of the laboratory quality control program, standard reference toxicant assays are completed on a regular basis for each test species. These results provide relative health and response data while allowing for comparison with historic data sets. See Table 2 for details.

3.0 RESULTS AND DISCUSSION

Results of the acute exposure bioassay completed using *A. bahia* are summarized in Table 3. Effluent and dilution water characteristics are presented in Table 4. Toxicity test summary sheets are included after the tables. Support data, including copies of laboratory bench sheets, are included in Appendix A.

Minimum test acceptability criteria require ≥90% survival in the control concentrations. Achievement of these results indicate that healthy test organisms were used and that the dilution water had no significant adverse impact on the outcome of the assay. See the Executive Summary and Table 3 for test acceptability.

4.0 LITERATURE CITED

APHA. 1998. Standard Methods for the Examination of Water and Wastewater, 20th edition. Washington D.C.

National Environmental Laboratory Accreditation Conference: Quality Systems. Chapter 5. June 2003.

- US EPA. 2002. *Methods for Measuring the Acute Toxicity of Effluents to Freshwater and Marine Organisms*. Fifth Edition. EPA-821-R-02-012.
- US EPA. 2008. Attachment G: NPDES Whole Effluent Toxicity Testing, Monitoring and Reporting Tips and Common Pitfalls. US EPA Region I Offices, Boston, Massachusetts.

TABLE 1. Summary of Sample Collection Information. Exxon Mobil Terminal Effluent Evaluation. March 2012.

Sample		Collec	ction	Recei	pt	Arrival	
Description	Туре	Date	Time	Date	Time	Temp °C	_
Effluent	Grab	03/08/12	1230	03/09/12	0945	2	

TABLE 2. Summary of Reference Toxicant Data. Exxon Mobil Terminal Effluent Evaluation. March 2012.

Date	E	ndpoint	Value	Historic Mean/ Central Tendency	Acceptable Range	Reference Toxicant
A. bahia 02/29/12	Survival	LC-50 - 48 Hr	23.8	21.7	16.0 - 27.4	SDS (mg/L)

Means and Acceptable Ranges based on the most recent 20 reference toxicant assays

TABLE 3. Summary of Acute Evaluation Results. Exxon Mobil Terminal Effluent Evaluation. March 2012.

Survival

Species	Exposure	Lab	6.25%	12.5%	25%	50%	100%
A. bahia	48 hours	100%	100%	100%	100%	100%	97.5%

LC-50 Computation Technique

		Spearman-		Linear	
Species	Exposure	Karber	Probit	Interpolation	A-NOEC
A. bahia	48 Hours	NC	NC	NC	100%

TABLE 4. Summary of Effluent and Diluent Characteristics. Exxon Mobil Terminal Effluent Evaluation. March 2012.

PARAMETER	UNITS	EFFLUENT	LABORATORY WATER
pH - As Received	SU	7.32	8.13
pH- Salinity Adjusted	SU	7.79	-
Salinity - As Received	ppt	1	24
Salinity - Salinity Adjusted	ppt	25	-
TRC	mg/L	<0.02	<0.02
Total Solids	mg/L	640	28000
Total Suspended Solids	mg/L	1.9	16
Ammonia	mg/L as N	<0.1	<0.1
Total Organic Carbon	mg/L as C	5.8	<2
Aluminum, total	mg/L	<0.02	-
Cadmium, total	mg/L	< 0.0005	-
Calcium, total	mg/L	64	-
Chromium, total	mg/L	<0.002	-
Copper, total	mg/L	<0.002	-
Lead, total	mg/L	0.002	-
Magnesium, total	mg/L	7.2	-
Nickel, total	mg/L	<0.002	-
Zinc, total	mg/L	0.015	-

Additional water quality and analytical chemistry support data are available in Appendix A.

TOXICITY TEST SUMMARY SHEET

FACILITY NAME: NPDES PERMIT NO.:	Exxon Mobil Everett Termina MA0000833	TEST START DATE: TEST END DATE:	03/09/12 03/11/12
TEST TYPE X Acute Chronic Modified Chronic (Reporting Acute Values) 24 Hour Screen	TEST SPECIES Pimephales promelas Ceriodaphnia dubiaDaphnia pulex X_Americamysis bahiaCyprinodon variegatusMenidia beryllinaArbacia punctulataChampia parvulaSelenastrum capricornute	SAMPLE TYPE Prechlorinated Dechlorinated Chlorine Spiked in Lab Chlorinated on Site Unchlorinated X No Detectable Chlorine	SAMPLE METHOD X Grab Composite Flow-thru Other Upon Receipt
sources of contamir	nation; Receiving Water Name	away from the discharge, free fron: Saway from the discharge, free fron Saway from the discharge, free fron	er Watershed)
receiving water; Rec Synthetic water prechemicals; or deion	ceiving Water Name: <u>Hamptor</u> pared using either Millipore Mi ized water combined with mine iixed with deionized water	n Estuary Ili-Q or equivalent deionized wate	
EFFLUENT SAMPLING EFFLUENT CONCENTS Permit Limit Concentration	RATIONS TESTED (%): 6.25%	%, 12. 5%, 25%, 50 %, 100%	
Was the effluent salinity	adjusted? Yes If "yes	s", to what level? 25	_ppt
REFERENCE TOXICAN	IT TEST DATE: 02/29/12 L	C-50: 23.8 mg/L Sodium Do	decyl Sulfate
		AND TEST RESULTS tability Criteria	
Mean Control Survival:	100%		
LIMITS		RESULTS	
LC-50: <u>>50</u> %		LC-50 Upper Limit:	<u>>100</u> %
A-NOEC:%		Lower Limit: Method:	 Direct observation
C-NOEC:%		A-NOEC C-NOEC	100% -
IC%		IC	

APPENDIX A

DATA SHEETS

STATISTICAL SUPPORT

Contents	Number of Pages
Methods Used in NPDES Permit Biomonitoring Testing	1
A. bahia Acute Bioassay Bench Sheet	2
A. bahia LC-50 Analysis and Survival Statistics	0
A. bahia Organism Culture Sheet	1
Preparation of Dilutions and Record of Meters Used	2
Analytical Chemistry Data Report	2
Sample Receipt Record	1
Chain of Custody	1
Total Appendix Pages	10

METHODS USED IN NPDES PERMIT BIOMONITORING TESTING

Parameter	Method
Acute Exposure Bioassays:	
Ceriodaphnia dubia	EPA-821-R-02-012 2002.0
Daphnia pulex	EPA-821-R-02-012 2021.0
Pimephales promelas	EPA-821-R-02-012 2000.0
Americamysis bahia	EPA-821-R-02-012 2007.0
Menidia beryllina	EPA-821-R-02-012 2006.0
Cyprinodon variegatus	EPA-821-R-02-012 2004.0
Chronic Exposure Bioassays:	
Ceriodaphnia dubia	EPA-821-R-02-013 1002.0
Pimephales promelas	EPA-821-R-02-013 1000.0
Cyprinodon variegatus	EPA-821-R-02-014 1004.0
Menidia beryllina	EPA-821-R-02-014 1006.0
Arbacia punctulata	EPA-821-R-02-014 1008.0
Champia parvula	EPA-821-R-02-014 1009.0
Trace Metals:	
Trace Metals	EPA 200.7/SW 6010 and EPA 200.8/SW 6020
Hardness	Standard Methods 20 th Edition - Method 2340 B
Wet Chemistries:	
Alkalinity	EPA 310.2
Chlorine, Residual	Standard Methods 20th Edition - Method 4500CLD
Total Organic Carbon	Standard Methods 20th Edition - Method 5310C
Specific Conductance	Standard Methods 20th Edition - Method 2510B
Nitrogen - Ammonia	Standard Methods 20 th Edition - Method 4500NH3G
рН	Standard Methods 20th Edition - Method 4500H+B
Solids, Total (TS)	Standard Methods 20th Edition - Method 2540 B
Solids, Total Dissolved (TDS)	Standard Methods 20th Edition - Method 2540 C
Solids, Total Suspended (TSS)	Standard Methods 20th Edition - Method 2540 D
Dissolved Oxygen	Standard Methods 20th Edition - Method 4500-O G

Please visit our web site at www.envirosystems.com for a copy of our NH NELAP Accreditation and Massachusetts State Certification.

ACUTE BIOASSAY DATA SUMMARY

				Section of the sectio		to the control of the control of the control of									Section of the sectio	Section of the Sectio	Att Promise Anna California		The state of the s
STUDY: 21480	21480		SAN	IPLE RE	SAMPLE RECEIVED	<u>8</u>	3/9/12				"AS R	ECEIVE)" EFFL	UENT	AND D	"AS RECEIVED" EFFLUENT AND DILUENT CHEMISTRIES	CHEM	ISTRIE	S
CLIENT: Exxon Mobil	Exxon 1	Mobil	TES	T ORG/	TEST ORGANISM: A. bahia	ahia					TRC	TS/S	AMM	T0C	Metals H	HARD SAL	L PH	S/C	отнек
SAMPLE: Terminal Effluent	Termin	ıal Efflue		SANISM	ORGANISM SUPPLIER	¥	ARO			EFF	70.97	500			7,00	9.0	5 7.32	3	
DILUENT:		Lab Salt		SANISM	ORGANISM BATCH/AGE		<5d			DIL	70.07	ب و 8	2 4 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	00 t					
SALINITY ADJUSTMENT RECORD:	ADJUS	TMENT	RECORD	000h:	○ ML EFFLUENT	LUEN	711 +1		G SEA SALTS =		100% A	STUAL	100% ACTUAL PERCENTAGE	TAGE					
CONC	REP	SUR	SURVIVAL	L	DO (mg/L)	Cadebay No. (1)	(SU)	<u>(</u>)	 -	TEMP (°C)	(s/c (t	S/C (µmhos/cm)	m)	SALIN	SALINITY (ppt)		COMMENTS	ENTS
		0	24 48	0	24 48	0	24	48	0	24	48	0	24	48	0	24 48	8		
LAB	А) 01	01 07	6.8	49 89	8,13	1.98	2 8.02	H2 .	24	24	5 0277	37200 38370	3370	KB HZ	7 24			
	В) 01	01 0)	6.8	59 1.9														
	ပ	7] 01	01 01	8.9	6.1 6.5														
	Q	7 01	10 10	6.9	6.1 65					100									
6.25%	А	1 01	01 01	6.9	63 64	8.08		8,00 8,00	42	24	24	38050 3	31090 39700	Caragonions	Z HZ	25 25	10		
	В) 01	01 01	6.9	4.9 8.01	1													
	၁	1 01	01 01	6.9	6.3 6.3														
	D) 01	01 01	b.9	6.2 6.3														
12.5%	А	1 01	0/ 01	6.9	63 6.4	9.05	5 8,08	3 8.06	h2	24	24	38240 5	38240 SIBSC 40030	astronovanos	3 H2	25 24			
	В	1) 01	0 10	6.9	6.3 6.3						•								
	င) 01	(O 16	وبو	69 6.3 63												F8.74		
	D) 0)	01 (2)	6.9	6.9 6.3 6.4														

ACUTE BIOASSAY DATA SUMMARY

CTION. 7100.	7 1000	Historical matters and the first N	management production	CAMP		en minerally (September	21915	7	Strong of the property terms and the second	en a maria de la companya de la comp	and the state of t	"AC DE	3/13/3 3/13/3	"AS DECEIVED" EEEI HENT AND DII HENT CHEMISTBIES	TINE	O CNO		HIO H	MISTE	O II	
SIUDIT.				OMINI	LE NECEIVE		1	1					200								9
CLIENT: Exxon Mobil	xxon	Mobil		TEST (TEST ORGANISM:	A. bahia	ia					TRC	TS/S	AMM	700	ALK	HARD	SAL	PH S/C	OTHER	ĘR
SAMPLE: Terminal Effluent	Termin	ıal Effi	uent	ORGA	ORGANISM SUPPLIER	ER	ARO	Q			EFF		see	page 1 of 2	1 of 2						
DILUENT:	la	Lab Salt	士	ORGA	ORGANISM BATCH/AGE	/AGE	<5d	<u>5</u>			DIL										
SALINITY ADJUSTMENT RECORD:	ADJUS	STMEN	IT REC	ORD:	ML	ML EFFLUENT +	+ LNE		GSEA	G SEA SALTS =	300000000000000000000000000000000000000	00% A(STUAL	100% ACTUAL PERCENTAGE	NTAGE	111					
							error			ŀ						14.0	, // Li	1	7800	OT IAT DAY	٥
CONC	REP	-	SURVIVAL	AL.	2			рн (50)			I EIMP ("C))) 	s/c (hmnos/cm)	(CIII)	SALIN	9	ĝ,	∑		n
		0	24	48	0 24	48	0	24	48	0	24	48	0	24	48	0	24	48	e of the manufacture of the		
25%	А	01	0)	1.0	K. 01 8.9	6.3	8.00 5	8,15	8,17	h2	54	74	38410	31450	,405%	5 HZ	25 2	26			
	8	01	01	0	tig 150 89	4.9															
	ပ	9	9	07	V.0 8.9	4.9															
	Q	9	01	2	h: 0) 8:7	6.5	11-01 11-01														
20%	A	9	01	0)	7.1 G.Y	6.5	7.92 8	8.18	8.24	H2	12	24	38570	39920 46890	10830	52	26 2	26			
	В	(1)	(0)	jo	2.0 1.7	6.5			21.53.°								-53				
	ပ	0	01	10	7.1 6.3	6.4												298 - 382 SK		•	
	Q	10	01	10	7.1 10.4 6.6	6.6															
100%	٧	9	0)	01	8.0 6.0 6.6	CONTRACTOR CONTRACT	7.79 8	8.28	8.36	н2	54	24	39630	40100 40960	49160	25 2	25 2	260			
	В	0)	01	10	9.0 0.8	6.5			T-00000 Tex												
	၁	0)	Q١	b	4.0) 08	(6.7															-
	D	0)	(0)	0)	8.0 G.Y	ما. ما												MEDICAL STREET		·	
DATE		2/6/5	310	3/11	11/8 01/8 2/6/8	3 11						eri Digitali vyrat									
TIME)615	1500	555	1600 1415 1435	1435															
INITIALS		Ì	S)	Z	ر ا رو	S	To dissolve the state of	The state of the s		deposition of the control of the con	om positive and make the second										તાલાગામાં છુ



Aquatic Research Organisms



DATA SHEET

I.	. Organism History	
	Species	AMERICAMYSIS bahia
	Source: Lab reared	Hatchery reared Field collected
	Hatch date	3 · 8 · /2 Receipt date
	Lot number	030812MS Strain
	Brood origination	FloziDA
II.	. Water Quality	
		25 °C Salinity ~27 ppt D.Oppm
	pH 78 su	Hardnessppm Alkalinityppm
III.	. Culture Conditions	
	Freshwater	Saltwater Other
	Recirculating	Flow through Static renewal
	DIET: Flake foo	d Phytoplankton Trout chow
	Artemia_	Rotifers YCT Other Encap. Shains Die
	Prophylactic treat	ments:
	Comments:	
IV.	. Shipping Information	
	Client:	# of Organisms
	Carrier:	Date shipped 3-9-12
	Biologist:	MA Dosengert J
	PO ROV 1971 LIAMEN	ON MIL 02042 1271 (602) 026 1650 A DOPTOLO A OL GOLG

PO BOX 1271 HAMPTON NH 03843-1271 (603) 926-1650 <u>AROFISH@AOL.COM</u> <u>WWW.AROFISH.US</u>

PREPARATION of DILUTIONS

STUDY: 71980 SPECIES: A. bahia	CLIE	NT: Exxon Mobil
Diluent: Lab Salt	Sample: Eo	
Concentration	Vol. Eff.(m	ls) Final Vol.(mls)
Lab		800
6.25%	50	
12.5%	100	
25%	200	
50%	400	
100%	800	٧
INITIALS:	v	
TIME:	1550	
DATE:	3/9/12	

RECORD OF METERS USED

STUDY: 21980		CLIENT: Exxon	Mobil
	A.bahia		
E	xposure (Hours)		
	0	24	48
Water Quality Station #	\	1	
Initials / Date	~ 3/9/12	cs 3/10	SJ 3/11/12

Water Quality	Station #1	Water Quality S	Station #2	COMMENTS
DO meter#	24	DO meter #	1	
DO probe#	90	DO probe #		
pH meter#	1097	pH meter#		
pH probe #	103	pH probe #		
S/C meter#	YS130E	′S/C meter#		
S/C probe #	ĺ	S/C probe #	/	
Salinity meter #	T V	Salinity meter #	1	

Report No:

21980

SDG:

Project:

Sample ID:

Effluent Start O1C

Matrix:

Water

Sampled:

03/08/12 1230

Exxon Mobil

Parameter		Result	Quant Limit	Units	Date Prepared	Date of Analysis	INIT/Method/Reference
Total organic carbon	21980-003	5.8	2	mg/L	03/12/12	03/12/12	EAL/SM 5310 C
Ammonia-N	21980-004	ND	0.1	mg/L as N	03/13/12 1433	03/13/12 1433	JLH/SM 4500-NH3 G
Aluminum, total	21980-002	ND	0.02	mg/L	03/14/12 1045	03/14/12	JLH/EPA 200.8
Cadmium, total	21980-002	ND	0.0005	mg/L	03/14/12 1045	03/14/12	JLH/EPA 200.8
Calcium, total	21980-002	64	0.05	mg/L	03/14/12 1045	03/14/12	JLH/EPA 200.8
Chromium, total	21980-002	ND	0.002	mg/L	03/14/12 1045	03/14/12	JLH/EPA 200.8
Copper, total	21980-002	ND	0.002	mg/L	03/14/12 1045	03/14/12	JLH/EPA 200.8
Lead, total	21980-002	0.002	0.0005	mg/L	03/14/12 1045	03/14/12	JLH/EPA 200.8
Magnesium, total	21980-002	7.2	0.05	mg/L	03/14/12 1045	03/14/12	JLH/EPA 200.8
Nickel, total	21980-002	ND	0.002	mg/L	03/14/12 1045	03/14/12	JLH/EPA 200.8
Zinc, total	21980-002	0.015	0.002	mg/L	03/14/12 1045	03/14/12	JLH/EPA 200.8
Total solids	21980-005	640	10	mg/L	03/08/12 1400	03/09/12 1000	EAL/SM2540B
Total suspended solids	21980-005	1.9	1	mg/L	03/08/12 1515	03/09/12 1145	EAL/SM 2540D

Notes:

ND = Not Detected

Report No:

21989

SDG:

Project:

ESI

Lab Salt 03/09/12

Sample ID: Matrix:

Water

Sampled:

03/09/12 1540

Parameter		Result	Quant Limit	Units	Date Prepared	Date of Analysis	INIT/Method/Reference
Total solids	21989-006	28000	50	mg/L	03/14/12 1443	03/15/12 0810	EAL/SM2540B
Total suspended solids	21989-006	16	2.5	mg/L	03/14/12 1525	03/15/12 0900	EAL/SM 2540D
Total organic carbon	21989-002	ND	2	mg/L	03/12/12	03/12/12	EAL/SM 5310 C
Ammonia-N	21989-005	ND	0.1	mg/L as N	03/13/12 1509	03/13/12 1509	JLH/SM 4500-NH3 G

Notes:

ND = Not Detected

SAMPLE RECEIPT AND CONDITION DOCUMENTATION

Page 1 of 1

03/09/12 1325

STUDY NO: 21980 Exxon Mobil SDG No: Project: Exxon Mobil Delivered via: ESI Date and Time Received: 03/09/12 0945 Date and Time Logged into Lab: Recieved By: Logged into Lab by: Air bill / Way bill: Air bill included in folder if received? No

Air bill / Way bill:

No Air bill included in folder if received?

NA
Cooler on ice/packs:

Yes Custody Seals present?

NA
Cooler Blank Temp (C) at arrival: 2C Custody Seals intact?

NA
Number of COC Pages:

1

COC Serial Number(s): A1007127

COC Complete: Yes Does the info on the COC match the samples? Yes

Sampled Date: Yes Were samples received within holding time? Yes

Sampled Date: Yes Were samples received within holding time? Yes Field ID complete: Yes Were all samples properly labeled? Yes Sampled Time: Yes Were proper sample containers used? Yes Analysis request: Yes Were samples received intact? (none broken or leaking)

COC Signed and dated: Yes Were sample volumes sufficient for requested analysis? Yes Were all samples received? Yes Were VOC vials free of headspace? NA

Client notification/authorization: Not required

				Bottle	Req'd	Verified
Field ID	Lab ID	Mx	Analysis Requested		Pres'n	Pres'n
Effluent Start O1C	21980-001	W	AB48AD StartSample	2x3750 P	4 C	Yes
Effluent Start O1C	21980-002	W	Total Metals Cd,Cr,Ni,Pb,Cu,Zn,Al,Ca,Mg;	250 P	HNO3	Yes
Effluent Start O1C	21980-003	W	TOC	1x40 G	H2SO4	Yes
Effluent Start O1C	21980-004	W	NH3;	125 P	H2SO4	Yes
Effluent Start O1C TSS-1	21980-005	W	TS,TSS-Low	2x1000 P	4 C	Yes
Outfall O1C TSS-2	21980-006	W	TSS	2x1000 G	4 C	Yes
Outfall O1C TSS-3	21980-006	W	TSS	1x3750 P	4 C	Yes

Notes and qualifications:

Outfall O1C TSS-3 was received in a cube-container and was only half full

EnviroSystems, Inc. 1 Lafayette Road Hampton, NH 03842

Voice: 603-926-3345 FAX: 603-926-3521

ESI Job No: 21980

	Hampton, NH 03842						
		Chair OF CUSTOD! DOCU	MENIAICS				
Client:	Triumvirate Environmental/Exxon Mob	LINCS I NATION TO THE Environmental/Exxon Mot Contact: Atther Powers & Sandra Perry Projection	Project Name:	Name:	Exxon Mobil		
Report to:	Arthur Powers & Sandra Perry	Address: 61 Inner Belt Rd.		Project Number:	P0335	Task: 0001	T. Service service
Invoice to:	Sandra Perry	Address: Somerville, MA 02143	Project	Project Manager:	Enest Hayner. Athur Author Pery	8ん . Sandra Perry	
Voice:	617-715-8947	Fax: NA COLT 628.8099	email:	emall: vsreng@triumvirate.com	nvirate.com		ERR
Protocol: N	DES			-			
Lab Number (assigned by tab)	er Your Field ID: (must agree with container)	Sampled Sampled Grab or com- No posite (G/C)	Container Size Type (mL) (P/S/T)	Field Preser- vation	Matrix Filter S=Solid N=Not needed W=Water F=Done in field	Filter Analyses Requested N=Nut needed Special Instructions: F=Done in fed L=Lab to do	
.00	001 Effluent Start CVC	3.8.12 12.30 FUR C 2	3750 P	4C	Water N	AB48AD StartSample	
200	002 Effluent Start 0/C		250 P	EONH	Water N	Total Metals Cd,Cr,NI,Pb,Cu,Zn,Al,Ca,IMg;	
Ö	003 Effluent Start O/C	-	ი 04	H2SO4	Water	70C	
00	004 Effluent Start O/C		125 P	H2SO4	Water	(NH3);	
700	005 Effluent Start 0/C 755-/	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	1000 P	4 C		TS.TSS-Low	# 000 100 # mm m.)
<i>9</i> 00	Suffer		ļ.,	#	3	138-hold	
500	Outful 01C TSF3	hotel for male	×i	3750 P		DAN-SST N.	(P)
		1					
Relinguished By:	X Tout Have	Date: 3.8.12 Time: 1345	S Received By:	Ber M	X	Date: 3.8.12 Time: 1346	
Relinquished By:	" The	3.8.12 Time.	2	Received at Lab By.			23:45
Comments:							
COC Number, A1007177	$\left(\frac{Z^{oC}}{Z^{oC}}\right)$		Sample Dollwood Groun Mo-		(9)	0000	
6			Sanifye Delivery G		July 2010		
*)	135-note was in cultiply and	LANCE VACENES, '					

(#) Sampled at some three/bake as -005